

IN THE CLAIMS:

Kindly rewrite Claims 1-11 as follows:

1. (Currently Amended) A braze alloy consisting of, in (wt.-%): 10-15% Cr, 4.5-6% Al, 0.17-0.3% Y, 8-12% Co, 0-4% W, 2.5-5% Ta, 2.0-3.5% B, with Cr+Al > 15%, Cr/Al ≤ 3, and Al+Ta > 7.5 %, remainder Nickel and ~~unavoidable~~ impurities.

2. (Currently Amended) A method of brazing comprising: The use of _____ providing a Nickel-based or Cobalt-based article, said article selected from the group consisting of a polycrystalline superalloy article, a directionally solidified superalloy article, and a single crystal superalloy article; and _____ brazing the braze alloy according to claim 1 ~~for brazing onto a the~~ Nickel-based or a Cobalt-based polycrystalline superalloy article.

3. - 4. (Cancelled)

5. (Currently Amended) The ~~method use of the braze alloy of brazing~~ according to ~~one of claims Claim 2, 3, and 4~~ wherein the superalloy article is ~~comprises~~ a gas turbine component.

6. (Currently Amended) ~~The A method use of using the a~~ braze alloy comprising: _____ providing a braze alloy according to claim 1 in a form selected from the group consisting of the pure form as a paste, or a foil, ~~or as an ingredient~~ blend in a blend braze paste, as a braze tape, ~~or as and~~ a pre-sintered braze sheet; and _____ brazing with said braze alloy form.

7. (Currently Amended) A braze product comprising: _____ a product selected from the group consisting of a pre-sintered braze sheet, braze tape, ~~or and~~ blend braze paste, said product comprising a mixture of filler material consisting of a nickel or cobalt superalloy and the braze alloy according to claim 1.

8. (Currently Amended) The ~~pre-sintered-braze productsheet, braze-tape or blend~~
~~braze-paste~~ according to claim 7, wherein the ~~said~~ mixture comprises at least 30 wt.-% braze
alloy.

9. (Currently Amended) The ~~pre-sintered-braze productsheet, braze-tape or blend~~
~~braze-paste~~ according to claim 7 ~~or 8~~, wherein the ~~accordingly produced product~~ comprises a
pre-sintered braze sheet contain~~ing~~ing no binder.

10. (Currently Amended) A method of repairing a nickel-based or a cobalt-based
superalloy article ~~(1)~~ comprising: ~~the step of~~
providing a pure braze alloy according to claim 1 in the form of a paste or a foil; and
high temperature vacuum brazing of the article (1) with the pure braze alloy according to
claim 1 as a paste or a foil.

11. (Currently Amended) A method of repairing a nickel-based or a cobalt-based
superalloy article ~~(1)~~ comprising: ~~the step of~~
brazing the article (1) with a pre-sintered braze sheet, braze-tape or blend-braze-paste
providing a product according to claim 7; and
brazing said article with said product.